

Quotation Request //

US Government Publishing Office

Agency Publishing Services
732 North Capitol Street, NW
Washington DC 20401-0001

JACKET:417-338 R-2

Quotations are Due By:
(Eastern Time)1:00 PM on 04/16/2021

**Submit Quotes Online, unless otherwise instructed, via: <https://contractorconnection.gpo.gov/openjobs.aspx>
Contractor must provide mandatory W-9 form before GPO makes payment.**

TITLE: Defender Badge Passport Sticker, ANTI
QUANTITY: 13 Sheets for at least a Total of 250 Stickers.

REVISION 2: SCHEDULE AND SPECIFICATIONS CHANGE.
REVISION 1: SCHEDULE AND SPECIFICATIONS CHANGE.

SUBMISSION OF QUOTES: Vendor to submit quotes via Quick Quote (<https://contractorconnection.gpo.gov/OpenJobs>). Late quotes will not be accepted. All problems submitting quotes via Quick Quote must be reported prior to bid opening time to APS DC on 202-512-0307.

TRIM SIZE: Individual Sticker - 2" Round Diameter Sticker/Labels

SCHEDULE:

Furnished Material will be available for pickup by 05/14/2021
Deliver complete (to arrive at destination) by 05/28/2021
F.O.B. destination

QUALITY LEVEL: 3 Quality Assurance Through Attributes (GPO PUB 310.1, effective May 1979 (Rev. 9-19)) applies.

DESCRIPTION:

DIGITAL PRINTING ACCEPTABLE.

REVISION 2: SCHEDULE AND SPECIFICATIONS CHANGE.
REVISION 1: SCHEDULE AND SPECIFICATIONS CHANGE.

At contractor's option, the product may be produced via conventional offset or digital printing provided that Quality Level 3 standards are maintained. Final output must be a minimum of 150 line screen and at a minimum resolution of 2400 x 2400 x 1 bit or 600 x 600 x 8 bit depth technology. Digital device must have a RIP that provides an option for high quality color matching such as Device Links Technology and/or ICC Profiles

Stickers print type/rule matter, solids and illustrations with some images reversing out to appear white in 4-color process. From PNG File provided, contractor to create sheet of identical labels. Bleeds all sides.

Construction: Coat the entire back of the label for each sheet with a permanent type adhesive. Kiss cut label paper to form a sheet of 20-24 round labels. Die cut each individual label to 2" round labels. Die-cut label paper only, do not penetrate backing sheet or remove waste.

MATERIAL FURNISHED: Contractor to receive. .

Via email after award.

Purchase order

One (1) PNG file

Purchase Order.

GPO Form 892c (R. 12/17) Proofs.

GPO Form 917 (Certificate of Selection).

GPO Form 2678 (departmental random copies-blue label).

Contractor to download the Labeling and Marking Specifications form (GPO Form 905, R. 7-15) from gpo.gov, fill in appropriate blanks, and attach to shipping containers.

Prior to image processing, the contractor shall perform a basic check (preflight) of the furnished media and publishing files to assure correct output of the required reproduction image. Any errors, media damage, or data corruption that might interfere with proper file image processing must be reported to the contract administrator. The contractor shall create or change any necessary trapping, set proper screen angles and screen frequency, and define file output selection for the imaging device being utilized. Furnished files must be imaged as necessary to meet the assigned quality level.

PAPER: * Must be in accordance with JCP Paper Specification Standards in effect on date of this order
White Label Paper/Stock, (basis size 25 x 38", basis weight, 60 lbs. per 500 sheets

COLOR OF INK:

4-color process.

PRINT PAGE: One Side Only

MARGINS:

Inadequate gripper.

Follow electronic media.

PROOFS:

DIGITAL PRINTING

One (1) set of digital color one-off proofs created using the same output device/RIP that will be used to produce the final printed product on the actual production stock. Proofs shall be collated with all elements in proper position (not pasted up), imaged face and back, trimmed, folded and bound to the finished size/format of the product, as applicable. Proof will be used for color match on the press during the production run.

OFFSET PRINTING

One (1) set of digital color content proofs of entire Pamphlet. Direct to plate must be used to produce the final product with a minimum of 2400 x 2400 dpi. Proofs must be created using the same Raster Image Processor (RIP) that will be used to produce the product. Proofs shall be collated with all elements in proper position (not pasted up), imaged face and back, trimmed and folded to the finished size of the product.

-PLUS-

One (1) set of inkjet proofs of entire pamphlet that are G7 profiled and use pigment-based inks. A proofing RIP that provides an option for high quality color matching (such as Device Links Technology and/or ICC Profiles Technology), and meets or exceeds industry tolerance to ISO 12647-7 Standard for Graphic Technology (as of 3/19/09, and future amendments) must be utilized plus GRACoL 2006 Coated #1 specifications (CGATS TR006) must be achieved. Output must be a minimum of 720 x 720 dpi on a GRACoL or SWOP certified proofing media. Proofs must contain the following color control strip to be evaluated for accuracy: IDEAlliance ISO 12647-7 Control Strip 2009 or 2013(i1).

Proofs must contain color control bars (such as Brunner, GATF, GRETAG, or RIT) for each color of ink on the sheet. Control bars must be placed parallel to the press's ink rollers and must show areas consisting of minimum 1/8 x 1/8" solid color patches; tint patches of 25, 50 and 75%; dot gain scale; and gray balance patches for process color (if applicable). These areas must be repeated consecutively across the sheet.

The make and model number of the proofing system utilized shall be furnished with the proofs. These proofs must contain all elements, be in press configuration, and indicate margins. Proofs will be used for color match on press. Direct to plate must be used to produce the final product with a minimum of 2400 x 2400 dpi.

At the same time as submission of the proofs, submit a minimum of (10) 8-1/2 x 11" (covers and text) blank sheets of the actual paper to be used in the production of the contract requirements. Each sample must be of the kind and quality required by the specifications. The Government will rely on the samples only as a reference to the general appearance of the stock that will be provided by the contractor in conformance to the specifications. The Government assumes no contractual obligation to perform any inspection and test for the benefit of the contractor. The Government's failure to inspect and accept or reject the paper samples shall not relieve the contractor from responsibility, nor impose liability on the Government, for nonconforming paper.

Send proofs together with the furnished media (copy, electronic files) directly to: Megan Nortrup (202-339-8314), 4210 31st Street, Mount Rainier, MD 20712. Contractor must call GPO Contract Compliance Section at 202-512-0520, or e-mail information to compliance@gpo.gov immediately upon sending/delivering proofs and immediately upon notification that the proofs are available for pickup at the department. Proofs will be withheld not more than (2) workdays from receipt in the department to when they are made available for pickup at the department. **CONTRACTOR MUST NOT PRINT PRIOR TO RECEIVING AN "OK TO PRINT"**.

BINDING:

Cracks and wrinkles are not acceptable.

PACKING:

Pack suitably per shipping container.

DISTRIBUTION:

Contractor must notify the ordering agency on the same day that the product ships/delivers via e-mail sent to Megan_Nortrup@nps.gov. The subject line of this message shall be Distribution Notice for Jacket 417-338, Req. No. 1-00002. The notice must provide all applicable tracking numbers, shipping method, and Title. Contractor must be able to provide copies of all delivery, mailing, and shipping receipts upon agency request.

Deliver 250 copies via traceable means to: National Park Service, National Capital Region, Natural

Resources, ATTN: Megan Nortrup (202-339-8314), 4598 MacArthur Blvd NW, Washington, DC 20007.

All expenses incidental to returning materials, submitting proofs, receiving proofs, and furnishing samples must be borne by the contractor.

QUALITY ASSURANCE LEVELS AND STANDARDS: The following levels and standards shall apply to these specifications:

Inspection Levels (from ANSI/ASQC Z1.4):

(a) Non-destructive Tests -- General Inspection Level I.

(b) Destructive Tests -- Special Inspection Level S-2.

Specified Standards-- The specified standards for the attributes requiring them shall be:

ATTRIBUTE	SPECIFIED STANDARD
P-7. Type Quality and Uniformity	OK'd Proof/Furnished Electronic Media
P-10. Process Color Match	OK'd Proof/Furnished Electronic Media

Prior to award, contractor may be required to provide information related to specific equipment that will be used for production.

PREAWARD SURVEY: In order to determine the responsibility of the prime contractor or any subcontractor, the Government reserves the right to conduct an on-site preaward survey at the contractor's/subcontractor's facility or to require other evidence of technical, production, managerial, financial, and similar abilities to perform, prior to the award of a contract. As part of the financial determination, the low contractor may be required to provide one or more of the following financial documents:

- 1) Most recent profit and loss statement
- 2) Most recent Balance Sheet
- 3) Statement of cash flows
- 4) Current official bank statement
- 5) Current lines of credit (with amounts available)
- 6) Letter of commitment from paper supplier(s)
- 7) Letter of commitment from any subcontractor

The documents will be reviewed to validate that adequate financial resources are available to perform the contract requirements. Documents submitted will be kept confidential, and used only for the determination of responsibility by the Government. Failure to provide the requested information in a timely manner may result in the Contracting Officer not having adequate information to reach an affirmative determination of responsibility.

PAYMENT: Submitting invoices for payment via the GPO fax gateway (if no samples are required) utilizing the GPO barcode coversheet program application is the most efficient method of invoicing.

Instruction for using this method can be found at the following web address:

<http://winapps.access.gpo.gov/fms/vouchers/barcode/instructions.html>.

Invoices may also be mailed to: U.S. Government Publishing Office, Office of Financial Management, Attn: Comptroller, Stop: FMCE, Washington, DC 20401.

For more information about the billing process refer to the General Information of the Office of Finance web page located at <https://www.gpo.gov/how-to-work-with-us/vendors/how-to-get-paid>.

Attachment(s): NONE